

# Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

## SECTION 1. Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product name

NCLT

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use

Nitrite Based Cooling Water Treatment.

### 1.3. Details of the supplier of the safety data sheet

Name

UNIservice UNISAFE Srl

Full address

Via al Santuario di N.S. Guardia 58 a

District and Country

16162 Genova Bolzaneto (GE)

Italia

Tel. + 39 010 711395

Fax + 39 010 713120

e-mail address of the competent person

responsible for the Safety Data Sheet

info@uniservicemarine.com

### 1.4. Emergency telephone number

For urgent inquiries refer to

First Aid Information: Osp. " Pediatrico Bambino Gesù" - Dip. Emergenza e Accettazione DEA - 00165 - Roma - Piazza Sant' Onofrio, 4 - PIC: Mr.: Marco Marano - Phone :06 68593726.

First Aid Information: Az. Osp. Univ. Foggia- Azienda Ospedaliera Universitaria riuniti, Foggia - V.le Luigi Pinto, 1- 71122 - PIC: Mrs.: Anna Lepre- phone.: 800183459.

First Aid Information:Az. Osp. "A. Cardarelli" -Servizio di Anestesia e rianimazione- Napoli, Via A. Cardarelli, 9- 80131- Phone: 081-5453333. PIC: Mr.: Romolo Villani.

First Aid Information: Policlinico "Umberto I" -PRGM tossicologia d'urgenza, Roma - V.le del Policlinico, 155, cap 161- phone. 06-49978000- PIC: Mrs.: M. Caterina Grassi.

First Aid Information: Policlinico "A. Gemelli", Servizio di tossicologia clinica, Roma, Largo Agostino Gemelli, 8- CAP: 168- phone: 06-3054343 - PIC: Mr.: Alessandro Barelli.

First Aid Information: Az. Osp. "Careggi" U.O. Tossicologia Medica- Firenze, via Largo Brambilla, 3- CAP: 50134 -Phone: 055-7947819 -PIC: Mr.: Francesco Gambassi.

First Aid Information: Centro Nazionale di Informazione Tossicologica-IRCCS Fondazione Salvatore Maugeri Clinica del lavoro e della riabilitazione - Pavia, Via Salvatore Maugeri, 10- CAP: 27100- Phone : 0382-24444 - PIC: Mr.: Carlo Locatelli.

First Aid Information: Osp. Niguarda Ca' Granda - Milano, Piazza Ospedale Maggiore,3- CAP :20162- Phone: 02-66101029- PIC: Mrs.: Franca Davanzo.

First Aid Information: Azienda Ospedaliera Papa Giovanni XXII - Bergamo- Piazza OMS, 1 - CAP: 24127 -Phone: 800883300- PIC: Mr.: Bacis Giuseppe.

First Aid Information:Azienda Ospedaliera Integrata Verona, CAP: 37126 - Piazzale Aristide Stefani, 1,CAP: 37126- Phone: 800011858- PIC: Mr.: Giorgio Ricci.

## SECTION 2. Hazards identification

### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

**Hazard classification and indication:**

Reproductive toxicity, category 1B	H360FD	May damage fertility. May damage the unborn child.
Acute toxicity, category 4	H302	Harmful if swallowed.
Eye irritation, category 2	H319	Causes serious eye irritation.
Skin irritation, category 2	H315	Causes skin irritation.
Hazardous to the aquatic environment, acute toxicity, category 1	H400	Very toxic to aquatic life.

**2.2. Label elements**

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

**Hazard pictograms:**

Signal words: Danger

**Hazard statements:**

<b>H360FD</b>	May damage fertility. May damage the unborn child.
<b>H302</b>	Harmful if swallowed.
<b>H319</b>	Causes serious eye irritation.
<b>H315</b>	Causes skin irritation.
<b>H400</b>	Very toxic to aquatic life. Restricted to professional users.

**Precautionary statements:**

<b>P201</b>	Obtain special instructions before use.
<b>P280</b>	Wear protective gloves/ protective clothing / eye protection / face protection.
<b>P308+P313</b>	IF exposed or concerned: Get medical advice / attention.
<b>P273</b>	Avoid release to the environment.
<b>P391</b>	Collect spillage.
<b>P337+P313</b>	If eye irritation persists: Get medical advice / attention.

**Contains:** DISODIUM TETRABORATE DECAHYDRATE

SODIUM NITRITE  
POTASSIUM HYDROXIDE

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification (EC) 1272/2008 (CLP)
<b>SODIUM NITRITE</b>		
INDEX 007-010-00-4	30 ≤ x < 50	Ox. Sol. 2 H272, Acute Tox. 3 H301, Aquatic Acute 1 H400 M=1
EC 231-555-9		ATE Oral: 100 mg/kg
CAS 7632-00-0		
<b>DISODIUM TETRABORATE DECAHYDRATE</b>		
INDEX 005-011-00-4	1 ≤ x < 5	Repr. 1B H360FD, Classification note according to Annex VI to the CLP
EC 215-540-4		Regulation: 11
CAS 1303-96-4		
<b>POTASSIUM HYDROXIDE</b>		
INDEX 019-002-00-8	1 ≤ x < 2	Met. Corr. 1 H290, Acute Tox. 4 H302, Skin Corr. 1A H314, Eye Dam. 1 H318
EC 215-181-3		Skin Corr. 1B H314: ≥ 2% - < 5%, Skin Corr. 1C H314: ≥ 2% - < 5%, Skin Irrit. 2 H315: ≥ 0,5% - < 2%, Eye Dam. 1 H318: ≥ 2%, Eye Irrit. 2 H319: ≥ 0,5% - < 2%
CAS 1310-58-3		ATE Oral: 500 mg/kg

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing, breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

Rescuer protection

UNIservice UNISAFE Srl	Revision nr. 10 Dated 09/05/2024
NCLT	Printed on 09/05/2024 Page n. 4/15 Replaced revision:9 (Dated: 28/04/2023)

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

#### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

#### 4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned: Get medical advice / attention.

#### Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

## SECTION 5. Firefighting measures

### 5.1. Extinguishing media

#### SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

#### UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

### 5.2. Special hazards arising from the substance or mixture

#### HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

### 5.3. Advice for firefighters

#### GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

#### SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

## SECTION 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.  
Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

ESP	España	Límites de exposición profesional para agentes químicos en España 2023
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
	TLV-ACGIH	ACGIH 2023

DISODIUM TETRABORATE DECAHYDRATE					
Threshold Limit Value					
Type	Country	TWA/8h	STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm
VLA	ESP	2		6	
TLV-ACGIH		2		6	INHAL

POTASSIUM HYDROXIDE					
Threshold Limit Value					
Type	Country	TWA/8h	STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm
VLA	ESP			2	

WEL	GBR	2
TLV-ACGIH		2 (C)

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

**8.2. Exposure controls**

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

**HAND PROTECTION**

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

**SKIN PROTECTION**

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

**EYE PROTECTION**

Wear airtight protective goggles (see standard EN ISO 16321).

In the presence of risks of exposure to splashes or squirts during work, adequate mouth, nose and eye protection should be used to prevent accidental absorption.

**RESPIRATORY PROTECTION**

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

**ENVIRONMENTAL EXPOSURE CONTROLS**

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
------------	-------	-------------

UNIservice UNISAFE Srl		Revision nr. 10
		Dated 09/05/2024
NCLT		Printed on 09/05/2024
		Page n. 7/15
		Replaced revision:9 (Dated: 28/04/2023)
Appearance	liquid	
Colour	yellowish	
Odour	nitrite	
Melting point / freezing point	-5 °C	
Initial boiling point	115 °C	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	not available	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	10.5 - 11	
Kinematic viscosity	not available	
Dynamic viscosity	5 mPa.s	
Solubility	soluble	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	1800 kPa	
Density and/or relative density	1.20 - 1.25	
Relative vapour density	not available	
Particle characteristics	not applicable	
<b>9.2. Other information</b>		
9.2.1. Information with regard to physical hazard classes		
Information not available		
9.2.2. Other safety characteristics		
Information not available		
<b>SECTION 10. Stability and reactivity</b>		
<b>10.1. Reactivity</b>		
POTASSIUM HYDROXIDE		
May develop: heat.May corrode: metals.		
<b>10.2. Chemical stability</b>		
POTASSIUM HYDROXIDE		
Stable in normal conditions of use and storage.		
<b>10.3. Possibility of hazardous reactions</b>		

UNIservice UNISAFE Srl	Revision nr. 10 Dated 09/05/2024
NCLT	Printed on 09/05/2024 Page n. 8/15 Replaced revision:9 (Dated: 28/04/2023)

The product may react violently with water.

DISODIUM TETRABORATE DECAHYDRATE

Risk of explosion on contact with: strong oxidising agents,acids,moisture,water,metal salts.

POTASSIUM HYDROXIDE

Develops hydrogen on contact with: metals.Develops heat on contact with: strong acids.Reacts violently with: water.

**10.4. Conditions to avoid**

Avoid overheating. Prevent moisture or water from penetrating inside the containers.

DISODIUM TETRABORATE DECAHYDRATE

Keep away from: strong reducing agents.Possibility of explosion.

POTASSIUM HYDROXIDE

Avoid exposure to: sources of heat.Keep away from: oxidising agents,acids,flammable substances,halogens,organic substances.Keep away from: lead,aluminium,copper,tin,sulphur,bronze.Absorbs atmospheric CO2.

Unstable on exposure to air. Freezing.

**10.5. Incompatible materials**

Information not available

**10.6. Hazardous decomposition products**

DISODIUM TETRABORATE DECAHYDRATE

May develop: boron oxides,sodium oxides.

POTASSIUM HYDROXIDE

May develop: flammable gases.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.  
It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure



UNIservice UNISAFE Srl		Revision nr. 10
		Dated 09/05/2024
NCLT		Printed on 09/05/2024
		Page n. 9/15
		Replaced revision:9 (Dated: 28/04/2023)
Information not available		
<u>Delayed and immediate effects as well as chronic effects from short and long-term exposure</u>		
Information not available		
<u>Interactive effects</u>		
Information not available		
<u>ACUTE TOXICITY</u> ATE (Inhalation) of the mixture:		Not classified (no significant component)
ATE (Oral) of the mixture:		352,38 mg/kg
ATE (Dermal) of the mixture:		Not classified (no significant component)
SODIUM NITRITE		
LD50 (Oral):		180 mg/kg Rat
ATE (Oral):		100 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)
DISODIUM TETRABORATE DECAHYDRATE		
LD50 (Dermal):		10000 mg/kg Rabbit
LD50 (Oral):		2660 mg/kg Rat
POTASSIUM HYDROXIDE		
LD50 (Oral):		333 mg/kg Rat
ATE (Oral):		500 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)
<u>SKIN CORROSION / IRRITATION</u>		
Causes skin irritation		
<u>SERIOUS EYE DAMAGE / IRRITATION</u>		
Causes serious eye irritation		
<u>RESPIRATORY OR SKIN SENSITISATION</u>		
Does not meet the classification criteria for this hazard class		
<u>GERM CELL MUTAGENICITY</u>		
Does not meet the classification criteria for this hazard class		
<u>CARCINOGENICITY</u>		
Does not meet the classification criteria for this hazard class		
<u>REPRODUCTIVE TOXICITY</u>		
May damage fertility - May damage the unborn child		
<u>STOT - SINGLE EXPOSURE</u>		
Does not meet the classification criteria for this hazard class		

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and highly toxic for aquatic organisms.

12.1. Toxicity

SODIUM NITRITE	
LC50 - for Fish	0,79 mg/l/96h Oncorhynchus mykiss
EC50 - for Crustacea	23,31 mg/l/48h Penaeus monodon
EC50 - for Algae / Aquatic Plants	159 mg/l/72h Tetraseimis chui

12.2. Persistence and degradability

SODIUM NITRITE	
Solubility in water	848000 mg/l
Degradability: information not available	

POTASSIUM HYDROXIDE	
Solubility in water	> 10000 mg/l
Degradability: information not available	

DISODIUM TETRABORATE DECAHYDRATE	
Solubility in water	47000 mg/l

12.3. Bioaccumulative potential

SODIUM NITRITE	
Partition coefficient: n-octanol/water	-3,7

DISODIUM TETRABORATE DECAHYDRATE	
Partition coefficient: n-octanol/water	-1,53

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

**12.6. Endocrine disrupting properties**

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

**12.7. Other adverse effects**

Information not available

**SECTION 13. Disposal considerations****13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

**SECTION 14. Transport information****14.1. UN number or ID number**

ADR / RID, IMDG, IATA: UN 3287

**14.2. UN proper shipping name**

ADR / RID: TOXIC LIQUID, INORGANIC, N.O.S. (SODIUM NITRITE)

IMDG: TOXIC LIQUID, INORGANIC, N.O.S. (SODIUM NITRITE)

IATA: TOXIC LIQUID, INORGANIC, N.O.S. (SODIUM NITRITE)

**14.3. Transport hazard class(es)**

ADR / RID: Class: 6.1 Label: 6.1

IMDG: Class: 6.1 Label: 6.1

IATA: Class: 6.1 Label: 6.1

**14.4. Packing group**


ADR / RID, IMDG, IATA: III

**14.5. Environmental hazards**

ADR / RID:Environmentally  
Hazardous

IMDG:Marine Pollutant

IATA:NO



For Air transport, environmentally hazardous mark is only mandatory for UN 3077 and UN 3082.

14.6. Special precautions for user

ADR / RID:	HIN - Kemler: 60	Limited Quantities: 5 L	Tunnel restriction code: (E)
IMDG:	Special provision: 274 EMS: F-A, S-A	Limited Quantities: 5 L	
IATA:	Cargo:	Maximum quantity: 220 L	Packaging instructions: 663
	Passengers:	Maximum quantity: 60 L	Packaging instructions: 655
	Special provision:	A3, A4, A137	

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: E1

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product		
Point	3	
Contained substance		
Point	75	
Point	30	DISODIUM TETRABORATE DECAHYDRATE

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)

DISODIUM TETRABORATE DECAHYDRATE

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Ox. Sol. 2	Oxidising solid, category 2
Met. Corr. 1	Substance or mixture corrosive to metals, category 1
Repr. 1B	Reproductive toxicity, category 1B
Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
Skin Corr. 1A	Skin corrosion, category 1A
Skin Corr. 1B	Skin corrosion, category 1B
Skin Corr. 1C	Skin corrosion, category 1C
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H360FD	May damage fertility. May damage the unborn child.
H301	Toxic if swallowed.
H302	Harmful if swallowed.

UNIservice UNISAFE Srl		Revision nr. 10
		Dated 09/05/2024
NCLT		Printed on 09/05/2024
		Page n. 14/15
		Replaced revision:9 (Dated: 28/04/2023)
<p><b>H314</b> Causes severe skin burns and eye damage.</p> <p><b>H318</b> Causes serious eye damage.</p> <p><b>H319</b> Causes serious eye irritation.</p> <p><b>H315</b> Causes skin irritation.</p> <p><b>H400</b> Very toxic to aquatic life.</p>		
<p>LEGEND:</p> <ul style="list-style-type: none"> <li>- ADR: European Agreement concerning the carriage of Dangerous goods by Road</li> <li>- ATE: Acute Toxicity Estimate</li> <li>- CAS: Chemical Abstract Service Number</li> <li>- CE50: Effective concentration (required to induce a 50% effect)</li> <li>- CE: Identifier in ESIS (European archive of existing substances)</li> <li>- CLP: Regulation (EC) 1272/2008</li> <li>- DNEL: Derived No Effect Level</li> <li>- EmS: Emergency Schedule</li> <li>- GHS: Globally Harmonized System of classification and labeling of chemicals</li> <li>- IATA DGR: International Air Transport Association Dangerous Goods Regulation</li> <li>- IC50: Immobilization Concentration 50%</li> <li>- IMDG: International Maritime Code for dangerous goods</li> <li>- IMO: International Maritime Organization</li> <li>- INDEX: Identifier in Annex VI of CLP</li> <li>- LC50: Lethal Concentration 50%</li> <li>- LD50: Lethal dose 50%</li> <li>- OEL: Occupational Exposure Level</li> <li>- PBT: Persistent, bioaccumulative and toxic</li> <li>- PEC: Predicted environmental Concentration</li> <li>- PEL: Predicted exposure level</li> <li>- PMT: Persistent, mobile and toxic</li> <li>- PNEC: Predicted no effect concentration</li> <li>- REACH: Regulation (EC) 1907/2006</li> <li>- RID: Regulation concerning the international transport of dangerous goods by train</li> <li>- TLV: Threshold Limit Value</li> <li>- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.</li> <li>- TWA: Time-weighted average exposure limit</li> <li>- TWA STEL: Short-term exposure limit</li> <li>- VOC: Volatile organic Compounds</li> <li>- vPvB: Very persistent and very bioaccumulative</li> <li>- vPvM: Very persistent and very mobile</li> <li>- WGK: Water hazard classes (German).</li> </ul>		
<p>GENERAL BIBLIOGRAPHY</p> <ol style="list-style-type: none"> <li>1. Regulation (EC) 1907/2006 (REACH) of the European Parliament</li> <li>2. Regulation (EC) 1272/2008 (CLP) of the European Parliament</li> <li>3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)</li> <li>4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament</li> <li>5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament</li> <li>6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament</li> <li>7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament</li> <li>8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament</li> <li>9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament</li> <li>10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament</li> <li>11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament</li> <li>12. Regulation (EU) 2016/1179 (IX Atp. CLP)</li> <li>13. Regulation (EU) 2017/776 (X Atp. CLP)</li> <li>14. Regulation (EU) 2018/669 (XI Atp. CLP)</li> <li>15. Regulation (EU) 2019/521 (XII Atp. CLP)</li> <li>16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)</li> <li>17. Regulation (EU) 2019/1148</li> <li>18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)</li> <li>19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)</li> <li>20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)</li> <li>21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)</li> </ol>		

<p align="center"><b>UNIservice UNISAFE Srl</b></p>	<p>Revision nr. 10</p>
<p align="center"><b>NCLT</b></p>	<p>Dated 09/05/2024</p> <p>Printed on 09/05/2024</p> <p>Page n. 15/15</p> <p>Replaced revision:9 (Dated: 28/04/2023)</p>
<p>22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)</p> <p>23. Delegated Regulation (UE) 2023/707</p> <p>24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)</p> <p>24. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)</p> <ul style="list-style-type: none"> <li>- The Merck Index. - 10th Edition</li> <li>- Handling Chemical Safety</li> <li>- INRS - Fiche Toxicologique (toxicological sheet)</li> <li>- Patty - Industrial Hygiene and Toxicology</li> <li>- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition</li> <li>- IFA GESTIS website</li> <li>- ECHA website</li> <li>- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy</li> </ul> <p>Note for users:</p> <p>The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.</p> <p>This document must not be regarded as a guarantee on any specific product property.</p> <p>The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.</p> <p>Provide appointed staff with adequate training on how to use chemical products.</p> <p><b>CALCULATION METHODS FOR CLASSIFICATION</b></p> <p>Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.</p> <p>Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.</p> <p>Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.</p> <p>Changes to previous review:</p> <p>The following sections were modified:</p> <p>01 / 03 / 04 / 08 / 11 / 14 / 15 / 16.</p>	